

品名		メッシュ寸法(mm)		ストランド寸法(mm)		引伸率	ボンド 長さ(mm)	メッシュ タイプ	単重 (kg/m ²)	定尺重量(kg)			開口率 (%)	備考
種類	品番	SW	LW	T	W					914x1829	1219x2438	1524x3048		
XG	11	34	135.4	4.5	7.0	2.43	30	亀甲	14.5	24.2	43.1	67.4	65.2	JIS
XG	12	34	135.4	6.0	7.0	2.43	30	亀甲	19.4	32.4	57.7	90.1	59.7	JIS
XG	13	34	135.4	6.0	9.0	1.89	30	亀甲	24.9	41.6	74.0	116	50.4	JIS
XG	14	34	135.4	8.0	9.0	1.89	30	亀甲	33.2	55.5	98.7	154	44.0	JIS
XG	21	36	101.6	4.5	7.0	2.57	10	菱形	13.7	22.9	40.7	63.6	65.4	JIS
XG	22	36	101.6	6.0	7.0	2.57	10	菱形	18.3	30.6	54.4	85.0	59.4	JIS
XG	23	36	101.6	6.0	9.0	2.00	10	菱形	23.6	39.5	70.1	110	51.2	JIS
XG	24	36	101.6	8.0	9.0	2.00	10	菱形	31.4	52.5	93.3	146	44.3	JIS
G	1	38	100	3.2	4.0	4.75	25	亀甲	5.29	8.84	15.7	24.6	83.6	
G	3	38	100	4.5	5.0	3.80	25	亀甲	9.3	15.5	27.6	43.2	76.6	
G	6	38	100	6.0	6.0	3.17	25	亀甲	14.9	24.9	44.3	69.2	68.8	

・ソロバン目の在庫もございます。

・溶融亜鉛メッキ品も在庫ございます。

品名		メッシュ寸法(mm)		ストランド寸法(mm)		引伸率	ボンド 長さ(mm)	メッシュ タイプ	単重 (kg/m ²)	定尺重量(kg)			開口率 (%)	備考
種類	品番	SW	LW	T	W					914x1829	1219x2438	1524x3048		
XS	31	12	30.5	1.2	1.5	4.00	2.0	菱形	2.36	3.95	7.01		76.5	JIS
XS	32	12	30.5	1.6	2.0	3.00	2.0	菱形	4.19	7.01	12.5	19.5	66.9	JIS
XS	33	12	30.5	2.3	3.0	2.00	2.0	菱形	9.03	15.1	26.8	41.9	47.2	JIS
XS	41	22	50.8	1.6	2.0	5.50	3.0	菱形	2.28	3.81	6.78	10.6	83.7	JIS
XS	42	22	50.8	2.3	2.5	4.40	3.0	菱形	4.10	6.86	12.2	19.0	76.6	JIS
XS	43	22	50.8	3.2	3.5	3.14	3.0	菱形	8.00	13.4	23.8	37.2	65.8	JIS
XS	51	25	61.0	1.6	2.5	5.00	4.0	菱形	2.51	4.2	7.46	11.7	84.6	JIS
XS	52	25	61.0	2.3	3.0	4.17	4.0	菱形	4.33	7.24	12.9	20.1	78.3	JIS
XS	53	25	61.0	3.2	4.0	3.12	4.0	菱形	8.05	13.5	23.9	37.4	68.5	JIS
XS	61	34	76.2	2.3	3.0	5.67	6.0	菱形	3.19	5.33	9.48	14.8	85.0	JIS
XS	62	34	76.2	3.2	4.0	4.25	6.0	菱形	5.91	9.88	17.6	27.5	78.4	JIS
XS	63	34	76.2	4.5	5.0	3.40	6.0	菱形	10.4	17.4	30.9	48.3	69.5	JIS
XS	71	50	152.4	2.3	3.5	7.14	10	菱形	2.53	4.23	7.52	11.8	89.7	JIS
XS	72	50	152.4	3.2	4.0	6.25	10	菱形	4.02	6.72	11.9	18.7	86.0	JIS
XS	73	50	152.4	4.5	5.0	5.00	10	菱形	7.06	11.8	21.0	32.8	80.2	JIS
XS	74	50	152.4	6.0	6.0	4.17	10	菱形	11.3	18.9	33.6	52.5	73.7	
XS	75	50	152.4	8.0	9.0	2.78	10	菱形	22.6	37.8	67.2	105	61.4	
XS	81	75	203.2	3.2	4.0	9.38	10	菱形	2.68	4.48	7.96	12.4	91.0	JIS
XS	82	75	203.2	4.5	5.0	7.50	10	菱形	4.71	7.88	14.0	21.9	87.2	JIS
XS	83	75	203.2	6.0	6.0	6.25	10	菱形	7.54	12.6	22.4	35.0	83.0	JIS
XS	84	75	203.2	8.0	9.0	4.17	10	菱形	15.1	25.2	44.9	70.1	75.6	

・70番代、80番代の在庫については、ご確認下さい。

・溶融亜鉛メッキ品も在庫ございます。

品名		メッシュ寸法(mm)		ストランド寸法(mm)		引伸率	ボンド 長さ(mm)	メッシュ タイプ	単重 (kg/m ²)	定尺重量(kg)			開口率 (%)	備考
種類	品番	SW	LW	T	W					914x1829	1219x2438	1524x3048		
XF	31	12	30.5	1.2	1.5	4.00	2.0	菱形	2.36	3.95	7.01		76.5	
XF	32	12	30.5	1.6	2.0	3.00	2.0	菱形	4.19	7.01	12.5	19.5	66.9	
XF	33	12	30.5	2.3	3.0	2.00	2.0	菱形	9.03	15.1	26.8	41.9	47.2	
XF	41	22	50.8	1.6	2.0	5.50	3.0	菱形	2.28	3.81	6.78	10.6	83.7	
XF	42	22	50.8	2.3	2.5	4.40	3.0	菱形	4.10	6.86	12.2	19.0	76.6	
XF	43	22	50.8	3.2	3.5	3.14	3.0	菱形	8.00	13.4	23.8	37.2	65.8	
XF	61	34	76.2	2.3	3.0	5.67	6.0	菱形	3.19	5.33	9.48	14.8	85.0	
XF	62	34	76.2	3.2	4.0	4.25	6.0	菱形	5.91	9.88	17.6	27.5	78.4	
XF	63	34	76.2	4.5	5.0	3.40	6.0	菱形	10.4	17.4	30.9	48.3	69.5	

・1524×3048サイズについてはご相談下さい。

品名		メッシュ寸法(mm)		ストランド寸法(mm)		引伸率	ボンド 長さ(mm)	メッシュ タイプ	単重 (kg/m ²)	定尺重量(kg)			開口率 (%)	備考
種類	品番	SW	LW	T	W					914x1829	1219x2438	1524x3048		
DSX	103	34	76.2	4.5	5.0	3.40	6.0	菱形	10.4	17.4	30.9	48.3	69.5	
DSX	104	34	76.2	4.5	7.0	2.43	6.0	菱形	14.5	24.2	43.1	67.4	62.3	
DSX	203	34	76.2	6.0	6.0	2.83	6.0	菱形	16.6	27.8	49.3	77.1	59.7	
DSX	204	34	76.2	6.0	7.0	2.43	6.0	菱形	19.4	32.4	57.7	90.1	56.0	

・在庫品は、DSX103 4.5mm 4'×8'のみ。その他のサイズは、ご相談下さい。

品名		メッシュ寸法(mm)		ストランド寸法(mm)		引伸率	ボンド長さ(mm)	メッシュタイプ	単重(kg/m ²)	定尺重量(kg)			開口率(%)	備考
種類	品番	SW	LW	T	W					914x1829	1219x2438	1524x3048		
SXP	10C	34	135.4	4.0	4.5	3.78	30	亀甲	8.39	16.8	24.9	39.0	76.1	
SXP	10B	34	135.4	4.0	5.0	3.40	30	亀甲	9.33	18.7	27.7	43.3	74.6	
SXP	10	34	135.4	4.5	5.0	3.40	30	亀甲	10.5	21.0	31.2	48.8	72.6	
SXP	11	34	135.4	4.5	7.0	2.43	30	亀甲	14.7	29.4	43.7	68.3	65.2	
SXP	12D	34	135.4	5.0	5.0	3.40	30	亀甲	11.7	23.4	34.8	54.3	70.7	
SXP	12C	34	135.4	5.0	6.0	2.83	30	亀甲	14.0	28.0	41.6	65.0	67.3	
SXP	12B	34	135.4	6.0	6.0	2.83	30	亀甲	16.8	33.6	49.9	78.0	63.6	
SXP	12	34	135.4	6.0	7.0	2.43	30	亀甲	19.6	39.2	58.3	91.0	59.7	
SXP	20C	36	101.6	4.0	4.5	4.00	10	菱形	7.93	15.9	23.6	36.8	75.3	
SXP	20B	36	101.6	4.0	5.0	3.60	10	菱形	8.81	17.6	26.2	40.9	74.0	
SXP	20	36	101.6	4.5	5.0	3.60	10	菱形	9.91	19.8	29.5	46.0	71.9	
SXP	21	36	101.6	4.5	7.0	2.57	10	菱形	13.9	27.8	41.3	64.6	65.4	
SXP	22D	36	101.6	5.0	5.0	3.60	10	菱形	11.0	22.0	32.7	51.1	69.8	
SXP	22C	36	101.6	5.0	6.0	3.00	10	菱形	13.2	26.4	39.2	61.3	66.8	
SXP	22B	36	101.6	6.0	6.0	3.00	10	菱形	15.9	31.8	47.3	73.9	62.8	
SXP	22	36	101.6	6.0	7.0	2.57	10	菱形	18.5	37.0	55.0	85.9	59.4	
SXP	61B	34	76.2	2.0	2.0	8.50	6.0	菱形	1.87	3.74	5.56	8.69	88.1	
SXP	61	34	76.2	2.0	3.0	5.67	6.0	菱形	2.80	5.60	8.32	13.0	86.5	
SXP	62C	34	76.2	3.0	3.0	5.67	6.0	菱形	4.20	8.40	12.5	19.5	81.5	
SXP	62B	34	76.2	3.0	3.5	4.86	6.0	菱形	4.90	9.80	14.6	22.8	80.5	
SXP	62	34	76.2	3.0	4.0	4.25	6.0	菱形	5.60	11.2	16.6	26.0	79.3	
SXP	63D	34	76.2	4.0	4.5	3.78	6.0	菱形	8.39	16.8	24.9	39.0	73.3	
SXP	63C	34	76.2	4.0	5.0	3.40	6.0	菱形	9.33	18.7	27.7	43.3	71.8	
SXP	63B	34	76.2	4.5	4.5	3.78	6.0	菱形	9.44	18.9	28.1	43.8	71.0	
SXP	63	34	76.2	4.5	5.0	3.40	6.0	菱形	10.5	21.0	31.2	48.8	69.5	
SXP	41B	22	50.8	1.5	1.5	7.33	3.0	菱形	1.62	3.24	4.81	7.52	85.8	
SXP	41	22	50.8	1.5	2.0	5.50	3.0	菱形	2.16	4.32	6.42	10.0	84.5	
SXP	42B	22	50.8	2.0	2.0	5.50	3.0	菱形	2.88	5.76	8.56	13.4	80.6	
SXP	42	22	50.8	2.0	2.5	4.40	3.0	菱形	3.60	7.20	10.7	16.7	78.9	
SXP	43B	22	50.8	3.0	3.0	3.67	3.0	菱形	6.48	13.0	19.3	30.1	69.5	
SXP	43	22	50.8	3.0	3.5	3.14	3.0	菱形	7.58	15.2	22.5	35.2	67.2	
SXP	31B	12	30.5	1.2	1.2	5.00	2.0	菱形	1.90	3.80	5.65	8.83	78.6	
SXP	31	12	30.5	1.2	1.5	4.00	2.0	菱形	2.38	4.76	7.07	11.1	76.5	
SXP	32B	12	30.5	1.5	1.5	4.00	2.0	菱形	2.98	5.94	8.86	13.8	72.5	
SXP	32	12	30.5	1.5	2.0	3.00	2.0	菱形	3.97	7.94	11.8	18.4	68.2	
SXP	33B	12	30.5	2.0	2.5	2.40	2.0	菱形	6.61	13.2	19.6	30.7	56.7	
SXP	33	12	30.5	2.0	3.0	2.00	2.0	菱形	7.93	15.9	23.6	36.8	50.4	
SXP	163	16	30.0	1.2	1.2	6.67	2.0	菱形	1.43	2.86	4.25	6.64	84.4	
SXP	164	16	30.0	1.5	1.5	5.33	2.0	菱形	2.23	4.46	6.63	10.4	80.1	
SXP	165	16	30.0	2.0	2.0	4.00	2.0	菱形	3.97	7.94	11.8	18.4	72.5	

・在庫品の有無は、ご確認下さい。

・タタミ目、ソロバン目ともに受注生産にて対応致します。